$\label{eq:thm:continuous} \begin{tabular}{ll} TABLE~2. Number, incidence~rate1, and median days2 away from work for nonfatal occupational injuries and illnesses involving days away from work3 for musculoskeletal disorders4 by part of body and ownership, Washington, 2014 and ownership, Washington, 2014 and ownership, which is the same of t$

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Total private industry ^{5,6,7}	11,230	56.8	10
Mark to death the other of	400		40
Neck, including throat Neck, except internal location of diseases or disorders	160 160	.8 .8	10 10
Frunk	5,640	28.5	8
Chest, including ribs, internal organs	100	.5	3
Chest, except internal location of diseases or disorders	100	.5	3
Back, including spine, spinal cord	4,810	24.4	7
Back, including spine, spinal cord, unspecified	1,910	9.7	13
Thoracic region	330	1.7	4
Lumbar region	2,420	12.3	6
Multiple back regions	140	.7	4
Abdomen	430	2.2	21
Abdomen, except internal location of diseases or disorders	430	2.2	21
Pelvic region	220	1.1	5
Hip(s)	120	.6	5
Groin	90	.4	5
Multiple trunk locations	80	.4	15
Jpper extremities	3,350	17.0	14
Shoulder(s), including clavicle(s), scapula(e)	1,420	7.2	17
Arm(s)	520	2.6	14
Arm(s), unspecified	120	.6	5
Upper arm(s)	70	.3	10
Elbow(s)	110	.5	14
Forearm(s)	180	.9	14
Multiple arm locations	40	.2	180
Elbow(s) and arm(s)	40	.2	180
Wrist(s)	850	4.3 1.8	7 18
Hand(s) Hand(s), unspecified	350 210	1.0	18
Finger(s), fingernail(s)	120	.6	17
Finger(s), fingernail(s), unspecified	70	.4	8
Finger(s), fingernail(s), n.e.c.	40	.2	16
Hand(s) and finger(s)	20	.1	5
Multiple upper extremities locations	210	1.0	11
Hand(s) and wrist(s)	60	.3	19
Wrist(s) and arm(s)	20	.1	10
Shoulder(s) and arm(s)	60	.3	11
Multiple upper extremities locations, n.e.c.	50	.2	7
Lower extremities	1,490	7.6	10
Leg(s)	1,160	5.9	12
Leg(s), unspecified	50	.3	3
Thigh(s)	20	.1 5.2	25 13
Knee(s) Lower leg(s)	1,030 60	.3	7
Ankle(s)	250	1.3	4
Foot (feet)	70	.4	11
Foot (feet), unspecified	70	.4	11
Multiple body parts	560	2.8	14
Neck and back	110	.6	13
Shoulder(s) and back	50	.3	5
Other multiple body parts	390	1.9	14
Multiple body parts, n.e.c.	390	1.9	14
Nonclassifiable	20	.1	20
Total state government ^{5,6,7}	640	58.9	19
Frunk	220	20.6	10
Back, including spine, spinal cord	180	16.7	14
Back, including spine, spinal cord, unspecified	90	8.7	6
Lumbar region Abdomen	80 20	7.7 1.4	28 42

See footnotes at end of table.

TABLE 2. Number, incidence rate¹, and median days² away from work for nonfatal occupational injuries and illnesses involving days away from work³ for musculoskeletal disorders⁴ by part of body and ownership, Washington, 2014 — Continued

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Abdomen, except internal location of diseases or disorders	20	1.4	42
Pelvic region	30	2.5	10
Hip(s)	20	1.4	10
Upper extremities	280	25.4	37
Shoulder(s), including clavicle(s), scapula(e)	80	7.0	28
Arm(s)	100	8.8	37
Arm(s), unspecified	20	1.4	41
Hand(s)	90	8.6	10
Hand(s), unspecified	90	8.6	10
_ower extremities	100	9.5	20
Leg(s)	80	7.0	19
Knee(s)	50 50	7.0 4.7	19
` '		4.7 1.4	44
Foot (feet)	20	1.4	44
Multiple body parts	30	3.0	14
Other multiple body parts	20	1.5	14
Multiple body parts, n.e.c.	20	1.5	14
Total local government ^{5,6,7}	2,360	112.9	13
Frunk	1,050	49.9	12
Chest, including ribs, internal organs	20	1.0	3
Chest, except internal location of diseases or disorders	20	1.0	3
Back, including spine, spinal cord	890	42.6	12
Back, including spine, spinal cord, unspecified	210	10.0	19
Thoracic region	20	1.1	15
Lumbar region	630	29.9	11
Multiple back regions	30	1.3	13
Abdomen	70	3.1	33
	70 70	3.1	33
Abdomen, except internal location of diseases or disorders Pelvic region	60	3.1 2.7	91
Hip(s)	40	2.7	91
Jpper extremities	680	32.3	15
Shoulder(s), including clavicle(s), scapula(e)	290	13.8	15
Arm(s)	130	6.1	35
Arm(s), unspecified	20	1.0	5
Upper arm(s)	50	2.4	161
Elbow(s)	40	1.8	36
Forearm(s)	20	.8	33
Wrist(s)	130	6.4	35
Hand(s)	90	4.4	13
Finger(s), fingernail(s)	80	4.0	13
Finger(s), fingernail(s), unspecified	20	4.0 .8	6
			_
Finger(s), fingernail(s), n.e.c. Multiple upper extremities locations	70 40	3.2 1.7	13
	-		2
Wrist(s) and arm(s)	20 20	.8 .8	43
_ower extremities	480	22.8	16
Leg(s)	360	17.2	19
Leg(s), unspecified	20	.7	20
Knee(s)	320	., 15.1	19
Lower leg(s)		.8	15
LUWELIEU(S)	20	_	34
Ankle(s)	40 50	1.8	_
	50 50	2.2 2.2	13 13

See footnotes at end of table.

TABLE 2. Number, incidence rate¹, and median days² away from work for nonfatal occupational injuries and illnesses involving days away from work³ for musculoskeletal disorders⁴ by part of body and ownership, Washington, 2014 — Continued

	Musculoskeletal disorders (MSDs)		
Part	Number	Incidence rate	Median days away from work
Multiple lower extremities locations	30	1.6	4
Multiple body parts Neck and back Other multiple body parts Multiple body parts, n.e.c.		7.2 .7 6.1 6.1	16 54 16 16

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers

(working 40 hours per week, 50 weeks per year).

3 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

⁵ Excludes farms with fewer than 11 employees.

Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.

² Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved fewer days than a specified median. Median days away from work are represented in actual values.

⁴ Musculoskeletal disorders include cases in which the nature of the injury or illness is pinched nerve; herniated disc; meniscus tear; sprains, strains, tears; hernia (traumatic and nontraumatic); pain, swelling, and numbness; carpal or tarsal tunnel syndrome; Raynaud's syndrome or phenomenon; musculoskeletal system and connective tissue diseases and disorders, and when the event or exposure leading to the injury or illness is overexertion and bodily reaction, unspecified; overexertion involving outside sources; repetitive motion involving microtasks; other and multiple exertions or bodily reactions; and rubbed, abraded, or jarred by vibration.

⁶ Data for Mining (Sector 21 in the North American Industry Classification System-- United States, 2012) include establishments not governed by the Mine Safety and Health Administration rules and reporting, such as those in Oil and Gas Extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore, estimates for these industries are not comparable to estimates in other industries.